



JBB SERIES **METERING PUMP**

SELECTION BROCHURE

JBB Series

Mechanical Diaphragm Metering Pump

MAIN PARAMETER

- **Flow range:** 15-150LPH@50Hz/18-180LPH@60Hz
- **Pressure range:** 4-10 Bar
- **Power:** 380V/220V @50Hz on standard, others on request,
DC12V or 24V is available
- **Material:** PVC; PVDF; SS304; SS316



PARAMETER TABLE

Model	50Hz			60Hz			pressure		Diaphragm (mm)	Power	
	Flow (LPH)	Flow (GPH)	SPM	Flow (GPH)	Flow (LPH)	SPM	BAR	PSI			
JBB15/1.0	15	3.9	100	4.7	18	120	10	145	60	60W	
JBB25/1.0	25	6.6		7.9	30		10	145			
JBB40/0.7	40	10	150	12	48	180	7	102			
JBB60/0.6	60	60	100	19	72	120	6	87	84		60W
JBB80/0.5	80	21		25	96		5	73			
JBB100/0.4	100	26	150	32	120	180	4	58			
JBB130/0.4	130	34		41	156		4	58			
JBB150/0.3	150	39		47	180		3	43			

CONNECTION

Model	PVC	PVDF	SS304/316
JBB15-JBB40	6*9 mm hose	RC1/2" F	10*16mm welding union
JBB60-JBB150	DN15 glue union	RC1/2" F	

10*14mm hose connection is also optional for JBB60-JBB150.





Authorized Distributor