



Technical Catalogue



JPX Series

Mechanical Diaphragm Metering Pump

JPX

MAIN PARAMETER

- Flow range: 1-230LPH@50Hz/1.2-276LPH@60Hz
- Pressure range: 1-400 Bar
- Power: **0.37kw** IEC71 4 pole Motor
- Material: SS304; SS316, others on request



Plunger
Metering Pump

PARAMETER TABLE

Model	50Hz		60Hz		pressure (MPa)	Piston Size	Stroke Length (mm)	Motor Power (KW)	Connection
	Flow Rate (L/H)	PUMP Speed (SPM)	Flow Rate (L/H)	Pump Speed (SPM)		Dia (mm)			
JPX1/40	1	96	1.2	115	40	6	10	0.37	DN6 union for welding
JPX2/40	2		2.4		40	6	20		
JPX5/33	5		6		33	8			
JPX8/21	8		9.6		21	10			
JPX12/15	12		14		15	12			
JPX20/8	20		24		8	16			
JPX33/5	33		40		5	20			DN10 union for welding
JPX52/3.3	52		62		3.3	25			
JPX65/2.6	65		78		2.6	28			
JPX88/2.1	88		106		2.1	32			
JPX105/1.7	105		126		1.7	35			
JPX125/1.4	125		150		1.4	38	DN15 union for welding		
JPX155/1.1	150	186	1.1	42					
JPX190/1.1	190	144	228	173	1.1	38			
JPX230/1.0	230		276		1	42			

Duplex or Triplex head is available.



Mechanical Diaphragm Metering Pump

Authorized Distributor